


**Aymroo**  
INNOVATE | CREATE | CONNECTProducts



**STEP**Irons

PRODUCT CATALOGUE

# STEP Irons

*Tested to requirements AS1657:2013* ●

*Suitable for use in Sewer & Stormwater manhole pits* ●

*Available Nationally* ●

*Resistent to corrosions* ●


*Aymroo Step Irons are manufactured from high strength steel bar and are fully encapsulated in tough yellow polypropylene for visibility underground.*

*There are no sharp edges or corners on Aymroo Step Irons and the 25mm sides stop feet slipping off.*

*Aymroo Step Irons comply with strength requirements of EN13101, including vertical load, pull out and impact tests.*



*Load strength is greater than 4Kn and they have a pull out strength of 5Kn.*

*They can be set into pre-cast structures during concrete pour, caulked into a drilled hole with epoxy resin or quick setting cement or fitted into Aymroo polypropylene inserts.*



CODE	DESCRIPTION	BOX QUANTITY
STEP175YW	175mm Plastic Encapsulated Step Iron	20
STEP225YW	225mm Plastic Encapsulated Step Iron	20
STEP283YW	283mm Plastic Encapsulated Step Iron	15
STEP375YW	375mm Plastic Encapsulated Step Iron	15
STEP400YW	400mm Plastic Encapsulated Step Iron	15

# TECHNICAL SPECIFICATIONS



HOLE CENTRE (A)	175mm	225mm	283mm	375mm	400mm
WIDTH (W)	200mm	250mm	308mm	400mm	425mm
PROJECTION (P)	200mm	175mm	175mm	175mm	175mm
DIAMETER (D) INSERTION	25mm	25mm	25mm	25mm	25mm
DEPTH (I)	65mm	65mm	65mm	65mm	65mm
WEIGHT	760grms	892grms	920grms	1104grms	1120grms



ISO 9001  
International Standards  
Certifications



**Aymroo**  
INNOVATE | CREATE | CONNECTProducts

p 1300 057 588 | f 1300 052 857 | [www.aymroo.com.au](http://www.aymroo.com.au)

PVC Plumbing Fittings | Maintenance Shafts | Fabrications | Civil Products